



5400LN Series

ANSI/BHMA Grade 1 Certified
Cylindrical Lever Locks



An ASSA ABLOY Group brand

ASSA ABLOY



Table of Contents

CONTENTS

Benefits & Features 3

How to Order 4

Finishes 5

Lever Trim 6

Functions 7-9

Electrified Options 10

Electrified Accessories..... 11

Cylinders 12-13

Latchbolts 14

Strikes 15

Sample Specification 16

Technical Specifications & Listings 17

5400LN SERIES CYLINDRICAL LEVER LOCKS

Designed for industrial and commercial use, Yale 5400LN Series heavy-duty cylindrical lockset offers rugged reliability and performance in a range of functions. With innovative features such as our Free Wheeling lever mechanism, wear-resistant chassis plates, heavy-duty lever return springs and thru-bolting, this Grade 1 workhorse is favored for a variety of applications that require reliable access every day.

Offering quality door hardware products from a brand you can trust, Yale Works for YouSM.



MicroShield[®]
As part of their promise to provide innovative solutions to their customers, certain ASSA ABLOY Group brands offer the MicroShield[®] technology, a silver-based antimicrobial coating designed to inhibit the growth of bacteria.

MicroShield[®] is a registered trademark of Yale Security Inc., an ASSA ABLOY Group company.




Benefits & Features

BENEFITS

- **Heavy-Duty:** Rugged Grade 1 construction offers greater reliability and resists wear-and-tear
- **Secure:** Innovative features protect against damage and vandalism
- **Versatile:** Range of functions and options offer an ideal solution for a variety of commercial applications
- **Easy installation:** Adjustable rose allows for easy adjustment on different door thicknesses
- **Strong & Reliable:** ANSI/BHMA Grade 1 certification for long-life and durability

FEATURES

- Heavy duty construction features wear-resistant chassis plates, longer thread-locking thrubolts, lifetime warranted lever return springs and stainless steel latchbolt for exceptional strength and durability
- Free Wheeling lever mechanism prevents vandalism and reduces maintenance
- Adjustable rose support plates
- Available in 3 lever designs, 24 functions (including electrified) and 12 standard finishes
- ANSI/BHMA Certified Grade 1
- ADA compliant for ease of accessibility



SPECIFICATIONS

Backset: 2-3/4" standard, 3-3/4" optional

Door Thickness: Adjustable for doors 1-3/4" to 2"

Handing: Non-handed, field reversible

Latchbolt: 2-3/4" backset, 1/2" throw. See page 14 for additional options.

Strike: ANSI strike 4-7/8" x 1-1/4" x 1-1/4" lip to center. See page 15 for additional options.

ANSI/BHMA: Certified Grade 1, ANSI/BHMA A156.2

UL/cUL: Listed for 3 hour fire doors

Windstorm: Certified, check local codes.

Warranty: 7 years

